

KAO USA Inc.
Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GW StyleSign Crystal Turn
Article number 227553-10x7ml / 227529-100ml / 227582-20ml

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hairstyling

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company KAO USA Inc.
2535 Spring Grove Avenue
Cincinnati, Ohio 45214 / USA
Phone

Address enquiries to

Technical information

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company CHEMTREC: +1 703 527-3887 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Contains: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. EUH208 May produce an allergic reaction.

2.3 Other hazards

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
0,1 - < 0,25	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one CAS: 54464-57-2, EINECS/ELINCS: 259-174-3, Reg-No.: 01-2119489989-04-XXXX GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements: see SECTION 16.

KAO USA Inc.
Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 2 / 8

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Take up residues with absorbent material (f.ex. diatomaceous earth).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

KAO USA Inc.
Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 3 / 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.
No special measures necessary.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.

Keep container tightly closed.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

not applicable

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection If there is a risk of splashing:
safety glasses

Hand protection The details concerned are recommendations. Please contact the glove supplier for further information.
In full contact:
> 0,4 mm; butyl rubber, > 120 min (EN 374)

Skin protection None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals.

Avoid contact with eyes.

Respiratory protection Not required under normal conditions.

Thermal hazards none

Delimitation and monitoring of the environmental exposition Comply with applicable environmental regulations limiting discharge to air, water and soil.

KAO USA Inc.
Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	viscous Gel
Color	light yellow
Odor	characteristic
Odor threshold	not applicable
pH-value	5,3 - 5,7
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	not applicable
Flammability [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapor pressure/gas pressure [kPa]	not determined
Density [g/ml]	1,0275 - 1,03 (20 °C / 68,0 °F)
Bulk density [kg/m ³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	550000 - 900000 cP (Brookfield RV DVIII sp 5, 5 rpm)
Relative vapor density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.

KAO USA Inc.
Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, CAS: 54464-57-2
LD50, dermal, Rat: >5000 mg/kg bw.
LD50, oral, Rat: >5000 mg/kg bw.

Serious eye damage/irritation	HETCAM test : 1,43 Non-irritant.
Skin corrosion/irritation	0,1 [Single Patch Test (1x 24h)] Non-irritant.
Respiratory or skin sensitisation	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — single exposure	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — repeated exposure	Based on the information available, the classification criteria have not been fulfilled.
Mutagenicity	Based on the information available, the classification criteria have not been fulfilled.
Reproduction toxicity	Based on the information available, the classification criteria have not been fulfilled.
Carcinogenicity	Based on the information available, the classification criteria have not been fulfilled.
Aspiration hazard	Based on the information available, the classification criteria have not been fulfilled.
General remarks	

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials. This is a cosmetic product that is safe under intended and reasonable foreseeable use. Taking into account the use instructions, the toxicological profile of the ingredients and the evaluation of the final formulation this product is considered as safe and thus not harming human health.

SECTION 12: Ecological information

12.1 Toxicity

Substance
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, CAS: 54464-57-2
LC50, (96h), <i>Lepomis macrochirus</i> : 1,3 mg/L.
EC50, (72h), <i>Scenedesmus subspicatus</i> : >2,6 mg/L.
EC50, (48h), <i>Daphnia magna</i> : 1,38 mg/L.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

KAO USA Inc.
Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 6 / 8

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	Coordinate disposal with the authorities if necessary.
Contaminated packaging	Uncontaminated packaging may be taken for recycling.
RCRA Hazard Class (40CFR 261)	Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

SECTION 14: Transport

14.1 UN number

Transport by land according to ADR/RID not applicable

DOT Road Shipment Information (49 CFR) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

DOT Road Shipment Information (49 CFR) NOT CLASSIFIED AS "DANGEROUS GOODS"

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

DOT Road Shipment Information (49 CFR) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Safety Data Sheet (SDS) according to OSHA-GHS (29 CFR 1910.1200 HCS 2012) (US)
GW StyleSign Crystal Turn

KAO USA Inc.
Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 7 / 8

14.4 Packing group

Transport by land according to ADR/RID not applicable

DOT Road Shipment Information (49 CFR) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

DOT Road Shipment Information (49 CFR) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

US Regulations

National regulations

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302

This product does not contain any ingredients regulated under this list.

- SARA, 311

This product does not contain any ingredients regulated under this list.

- SARA, 313

This product does not contain any ingredients regulated under this list.

- CA Proposition 65

No chemical substances in this material are named on the California P65 list.

- TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

- FDA

American Conference of Governmental Industrial Hygienists - ACGIH

Ingredients not listed as carcinogens.

International Agency for Research on Cancer IARC

Ingredients not listed as carcinogens.

National Toxicology Program - NTP

This product is not named NTP - National Toxicology Program.

HAP-VOC

not applicable

Transport-regulations

DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H318 Causes serious eye damage.

H315 Causes skin irritation.

KAO USA Inc.
 Cincinnati, Ohio 45214

Date printed 08.03.2016, Revision 08.03.2016

Version 01

Page 8 / 8

16.2 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;
 ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;
 CAS = Chemical Abstracts Service;
 CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;
 CFR = Code of Federal Regulations;
 CPR = Controlled Products Regulations;
 DMEL = Derived Minimum Effect Level;
 DNEL = Derived No Effect Level;
 DOT = Department of Transportation;
 EC50 = Median effective concentration;
 EPA = Environmental Protection Agency;
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals;
 IATA = International Air Transport Association;
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
 IC50 = Inhibition concentration, 50%;
 IMDG = International Maritime Code for Dangerous Goods;
 IARC = International Agency of Research on Cancer;
 IATA = International Air Transport Association;
 TSCA = Toxic Substance Control Act;
 HMIS = Hazardous Materials Identification System;
 NFPA = National Fire Protection Association;
 NIOSH = National Institute for Occupational Safety and Health;
 OSHA = Occupational Safety and Health Administration;
 LC50 = Lethal concentration, 50%;
 LD50 = Median lethal dose, 50%;
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships;
 PBT = Persistent, Bioaccumulative and Toxic substance;
 PNEC = Predicted No-Effect Concentration;
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;
 SARA = Superfund Amendments and Reauthorization Act;
 TLV@/TWA = Threshold limit value – time-weighted average;
 TLV@STEL = Threshold limit value – short-time exposure limit;
 VOC = Volatile Organic Compounds;
 vPvB = very Persistent and very Bioaccumulative;

16.3 Ratings

HMIS Ratings

HEALTH	1	1 - Slight Hazard
FLAMMABILITY	1	1 - Slight Hazard
PHYSICAL HAZARD	0	0 - Minimal Hazard
PERSONAL PROTECTION	X	X - Personal protection rating to be supplied by user depending on use conditions

NFPA Ratings

1	
1	0
-	

TOP, FLAMMABILITY: 1 - Slight Hazard
 LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 0 - Minimal Hazard
 BOTTOM, SPECIAL NOTICE: -